



## Vintner™ Reserve

Hose held to the highest standards, yours.

Only quality makes the cut in your operation and in Continental beverage hose. Manufactured from superior materials to meet and exceed hygiene standards, our hose moves more than wine, it delivers peace of mind.

## Vintner™ Reserve

- Vintner™ Reserve is primarily for liquid transfer in wineries, breweries and for beverage production
- For handling in-plant and/or tank truck transfer of wine, beer and other non-oily liquid foodstuffs
- Resistant to conventional cleaning agents and Cleaning in Place processes
- The hose is built on special chrome mandrel to ensure maximum cleanliness
- FDA/USDA-compliant and conforms to 3-A Sanitary Standard 18-03
- Together with our crimped coupling systems and rubber protection rings, it becomes the ideal hose assembly!

**Working/Burst Pressure:** 250 PSI/1000 PSI

**Temperature:** -30°F to 220°F (-34°C to 104°C)

**Tube:** White Chlorobutyl tube won't impact rubbery tastes or smells

**Sizes Available:** 1, 1 ½, 2, 2 ½, 3

**Reinforcement:** Spiral-plied synthetic fabric with monofilament helix

**Cover:** Gray EPDM synthetic rubber (wrapped)

**Couplings:** ContiTech Crimp Specs available with Dixon Sanitary Fittings

### The Cover

- Redesigned branding
- Icon represents application
- Flexible
- Cover leaves no stain on the floor when dragged

### The Tube

- Vintner™ Reserve tube is easy to keep clean
- Vintner™ Reserve tube won't discolor foods or beverages
- Smooth, homogeneous liner will not impart taste or odor

### The Reinforcement

- The monofilament helix is rustproof and is a crush-resistant alternative to traditional softwall or steel wire, reinforced hoses
- 4-to-1 safety factor



Rubber rings are available to protect your investment and ensure proper hygiene

## The Features

- Easy to clean
- Lightweight
- Crush- and kink-resistant



| SAP      | ID  |      | OD   |       | W.P. |      | Bend Radius |     | Vacuum HG |     | Weight  |      |
|----------|-----|------|------|-------|------|------|-------------|-----|-----------|-----|---------|------|
|          | in. | mm   | in.  | mm    | psi  | MPa  | in.         | mm  | in.       | mm  | lb./ft. | kg/m |
| 20991699 | 1   | 25.4 | 1.56 | 39.70 | 250  | 1.72 | 3           | 76  | 27        | 686 | 0.60    | 0.89 |
| 20992570 | 1 ½ | 38.1 | 2.06 | 52.34 | 250  | 1.72 | 4           | 102 | 27        | 686 | 0.83    | 1.24 |
| 20992571 | 2   | 50.8 | 2.61 | 66.25 | 250  | 1.72 | 7           | 178 | 27        | 686 | 1.18    | 1.76 |
| 20992572 | 2 ½ | 63.5 | 3.16 | 80.34 | 250  | 1.72 | 10          | 254 | 27        | 686 | 1.59    | 2.37 |
| 20992573 | 3   | 76.2 | 3.81 | 96.85 | 250  | 1.72 | 12          | 305 | 27        | 686 | 2.34    | 3.48 |

For more information on these and other Continental hoses ideally suited for the wine industry, contact your local Continental representative or visit [www.contitech.us](http://www.contitech.us)

# ContiTech

## Industrial Fluid Solutions

Market segment

Industrial Hose

Contact

ContiTech

703 S. Cleveland Massillon Road

Fairlawn, OH 44333-3023 U.S.A.

1-800-235-4632

[www.contitech.us](http://www.contitech.us)

Your local contact

[www.contitech.de/contactlocator](http://www.contitech.de/contactlocator)

Canada

1-888-275-4397

Mexico

1-800-439-7373



Industrial Hose Beverage  
Hose Crimp Manual

## ContiTech. Smart Solutions Beyond Rubber

The ContiTech division of the Continental Corporation is one of the world's leading industry specialists. As a technology partner, our name is synonymous with expertise in development and materials for components made of natural rubber and plastics and also in combination with other materials such as metal, fabrics or silicone. By integrating electronic components, we are also generating solutions for the future.

Beyond products, systems and services we also provide holistic solutions and have a formative influence on the industrial infrastructure. We see digitalization and current trends as an opportunity to work with our customers to add sustainable value - for both sides and for good.