


TREATMENT PROTOCOL



OENOVEGAN® Extra



IMPORTANT

Take care to homogenize the tank well after each addition of Oenovegan® Extra, minimum pump over twice the total volume of the tank

Harvest

Favor manual harvesting, if mechanical harvesting: use a double bottom trailer, separate the draining juice from the grapes and get rid of it.



WHITE AND ROSÉ WINEMAKING PROCESS

DIRECT PRESSING

Clarify by depectinization as usual: **Lysis® Ultra** at 0.5 mL/hL

STEP 1

Use **Oenovegan® Extra** 40 g/hL wait 12 hours then rack

STEP 2

Yeast + nutrition (as usual)
AT MID FERMENTATION (D 1020)
Add **Lysis® Essentia** 3 g/hL

STEP 3

To prevent inhibiting the enzyme wait 10 days before adding bentonite, then rack according to bentonite recommendations

STEP 4

Treat with **Oenovegan® Extra** 40 g/hL, wait 24 hours then rack

STEP 5

Taste! If smoke taints are still presents, repeat step 4 with 20 g/hL of **Oenovegan® Extra**



RED CLASSICAL WINEMAKING PROCESS

STEP 1

Vatting of the harvest, during the pumping over for the tank homogenization add **Oenovegan® Extra** 40 g/hL. No racking **Oenovegan® Extra** can remain throughout the alcoholic fermentation

STEP 2

Yeast + nutrition (as usual). Pump over the tank 2 times per day for 3 days - then the following days pump over according to cellar protocol, favor short maceration max 5 days

PRESSING

STEP 3

Finish AF in liquid phase and add **Lysis® Essentia** at 3 g/hL After AF finished wait 10 days then rack

STEP 4

Add **Oenovegan® Extra** 40 g/hL, wait 24 hours then rack

STEP 5

Taste! If smoke taints are still presents, repeat step 4 with 20 g/hL of **Oenovegan® Extra**



Maximum legal dose for use: 100 g/hL

Oenovegan® Extra:
Preparation to be mixed exclusively with water as 1 kg per 10 L of water!

OENOFRANCE
USA

TREATMENT PROTOCOL



ON WINE

OENOVEGAN[®] Extra



IMPORTANT

Take care to homogenize the tank well after each addition of Oenovegan[®] Extra, minimum pump over twice the total volume of the tank



TREATMENT ON FINISHED WINES: ALL COLORS

STEP 1 | Add Lysis[®] Ultra 3 g/hL - wait 10 days

STEP 2 | Oenovegan[®] Extra 80 g/hL, carry out several pumping over of homogenization on the entire tank. Wait 24-48 hours.

STEP 3 | Rack

STEP 4 | Taste! If smoke taints are still presents, repeat step 2 with 20 g/hL of Oenovegan[®] Extra



**Maximum legal
dose for use: 100 g/hL**

Oenovegan[®] Extra:
Preparation to be mixed exclusively
with water as 1 kg per 10 L of water!

OENOF RANCE
USA

1180 Holmd Road, Suite D - Petaluma, CA 94954
Tel: +1 (707) 971-8270 - Fax: +1 (707) 971-8260