

INFINITY: THE END POST

DEPOSITED MODEL

by *Vignetinox*



AN IDEAL PROFILE FOR MECHANICAL MACHINING

The anti-sinking plate improves the stability of the post in any direction and on any ground.

Closed and ergonomic profile post, ideal for all mechanical machining, anti-twisting and with excellent toughness in all directions.

The exclusive **bilateral gorge**, in addition to giving it an **exceptional resistance**, it **hulls and protects** all tensioning systems.

Video test post INFINITY



VIGNETINOX®

 *made in Italy since 1979*

Vignetinox - via Trieste, 93 - Fiume Veneto (PN) 33080 - ITALY - tel. +39 0434 959020
www.vignetinox.com - info@vignetinox.com - www.youtube.com/VignetinoxOfficial

INFINITY post by VIGNETINOX

Accessories for INFINITY post:



ART.88A-INFINITY

Long tension compensator for pairs of moveable wires.



ART.28-INFINITY

Single tension wire on **chain**.



ART.2/5

Universal roller with lock.





ART.12-INFINITY

Hook for brace wire with universal roller and lock included.



ART.12A-INFINITY

Hook for brace wire completed with roller 40.



ART.25BP-INFINITY

Wire spacers with ART.65LIV-INFINITY.


INFINITY

Vignetinox



ART.66FAV-INFINITY

Hook for pairs of moveable wires with ART.65LIV-INFINITY.



ART.82D-INFINITY

Tension compensator Dynamic pairs of moveable wires.



TRAV-DYN-INFINITY

Horizontal brace post for end post.



PIASTRA-INFINITY

Anti-sinking plate.

INFINITY post by VIGNETINOX INFINITY post resistance:



Video test post INFINITY



+ 500 kg
4 times the standard

+ 300 kg
4 times the standard




ANTI-TWIST

INFINITY

Vignetinox

INFINITY post by VIGNETINOX



COR-TEN, HOT GALVANIZED and STAINLESS

weight	3,2 kg./m.	4,2 kg./m.	5,2 kg./m.
thickness	1,5 mm.	2 mm.	2,5 mm.
height	2300 mm. (free cordon) 2500 mm. 2750 mm. 3000 mm.		

Possibility of customization on request.

